

1 - Rainfall

The Yorkshire Region has received 163.4% of LTA for February

2 - Reservoirs (surface water supply reservoirs not including Hull)

Over the past week our reservoir stocks have changed by -0.1% to 98.7%

3 - Rivers

All rivers are above critical level

4 - Demand

Regional Demand = 1347 MI/d (including York)

Report Last Refresh Date (UTC)

2026-02-26 03:17:29



River	Monday, February 02, 2026	Monday, February 09, 2026	Monday, February 16, 2026	Monday, February 23, 2026
Derwent	4802	4031	5169	3215
Hull (using gauged (residual flows) only from 2011)	2000	2000	2000	2000
Ouse	13234	17950	14166	9099
Ure	2081	2861	5127	2849
Wharfe	1461	2078	4771	2703

River	Critical flow bands (MI/d)
Derwent	305
Hull (using gauged (residual flows) only from 2011)	45 / 159 / 227
Ouse	400 / 650 / 1000
Ure	50 / 163 / 300
Wharfe	252 / 389 / 488 / 580




Current Flow (MI/d)
3223.2

Year Selection
Multiple selections ▾

River Derwent

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026






Current Flow (MI/d)
1999.9

Year Selection
Multiple selections ▾

River Hull

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026




Current Flow (MI/d)
9396.4

Year Selection
Multiple selections ▾

River Ouse

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026




Current Flow (MI/d)
2864.8

Year Selection
Multiple selections ▾

River Ure

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026






Current Flow (MI/d)
2567.3

Year Selection
Multiple selections ▾

River Wharfe

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026



Water Situation Report

Page 3 - Rainfall (NRFA)

23 February 2026



Year	Month	Yorkshire Region mm	Yorkshire Region LTA mm	Yorkshire Region LTA (%)	England/Wales mm	England/Wales LTA (%)
2026	01	98	79	124	131	141

Year Selection
Most Recent Year

SOURCE OF DATA: Hydrological summary of Gt. Britain, Institute of Hydrology



Yorkshire Region

Average mm	LTA mm	LTA %
127.4	78.0	163.4%

Month Selection

Year Selection

West Average mm	West LTA mm	West LTA %
153.1	91.9	166.6%

East Average mm	East LTA mm	East LTA %
63.3	43.3	146.3%

Rainfall Station	Total mm	LTA mm	LTA %
Blackmoorfoot	158.4	89	178%
Fewston	112.9	69	164%
Gt Walden Edge	145.1	91	159%
Langsett	165.3	84	197%
Ramsden	219.4	111	198%
Redmires	119.5	83	144%
Roundhill	165.7	88	188%
Scar House	141.7	107	132%
Walshaw Dean	149.5	100	150%
Watersheddles	153.6	97	158%

Rainfall Station	Total mm	LTA mm	LTA %
Bridlington	68.7	46	149%
Cottingham	57.3	41	140%
Osmotherley	69.6	47	148%
Tophill	57.5	39	147%

SOURCE OF DATA : YWS RAIN GAUGES- weekly, so monthly data may include previous month or miss start of month

Daily Average Demand MI/d

Week Ending Wednesday ▼	Leeds	Wakefield And Morley	Selby	Harrogate	Hull	Malton	Sheffield And Barnsley	Doncaster	Bradford	Calder	Skipton	York Area	Region
23 February 2026	175	79	43	74	156	55	282	82	154	155	38	48	1347
16 February 2026	175	79	43	74	157	54	284	82	152	153	38	49	1340
09 February 2026	178	79	44	75	158	52	289	82	153	153	40	49	1353
02 February 2026	177	81	44	76	160	53	294	82	162	151	39	48	1367
25 January 2026	181	82	44	77	162	55	298	85	166	156	46	48	1402

Monthly Demands from WIS Report (MI/d)

Month And Year ▼	Leeds	Wakefield And Morley	Selby	Harrogate	Hull	Malton	Sheffield And Barnsley	Doncaster	Bradford	Calder	Skipton	York Area	Region
December 2025	165	55	39	69	153	52	279	71	151	152	36	43	1272
November 2025	169	54	40	70	150	51	285	72	124	158	36	44	1258


NB Current month demands include some estimates for minor sources and are not exactly comparable with previous months' figures.

Current Demand (Ml/d)
1347

Year Selection
Multiple selections ▾

Regional Demand

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● 75 percentile demand




Current Demand (Ml/d)
837

Year Selection
Multiple selections ▾

West Area Demand

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026




Current Demand (Ml/d)
510

Year Selection
Multiple selections ▾

East Area Demand

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026






Current Stock
79.5%

Year Selection
Multiple selections ▾

Hull Aquifer

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line






Current Level (mAOD)
33.9

Year Selection
Multiple selections ▾

Chalk (Wolds Aquifer)

Wetwang Observation Borehole - SE 958 594

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026






Current Level (mAOD)
13.4

Year Selection
Multiple selections ▾

Chalk (Hull Aquifer)

Westwood Observation Borehole - TA 020 399

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026



Reservoir Groups	% Stocks	% Change	Previous % Change
Calder	97.9%	-0.3%	0.4%
+ Boothwood/Ryburn (inc Withens Clough)	96.6%	-0.0%	0.0%
+ Brownhill/Digley	100%	0.0%	0.0%
+ Calderdale (excl Withens Clough)	96.6%	-0.4%	0.8%
+ Huddersfield	99.4%	-0.6%	0.6%
East	76.7%	3.7%	-10.9%
+ Hull Aquifer	Missing		
+ Tophill Low	76.7%	3.7%	-10.9%
North	99.1%	0.1%	0.8%
+ Haverah Park	100%	0.0%	0.0%
+ Leighton & Roundhill	100%	0.0%	0.0%
+ Lumley Moor	100%	0.0%	0.0%
+ Thornton Steward	92.8%	-5.0%	1.4%
+ Washburn & Eccup Resvrs	99%	0.3%	1.0%
North West	99.8%	-0.0%	0.1%
+ Embsay	99.7%	2.4%	0.5%
+ Grimwith	100%	0.0%	0.0%
+ Nidd/Barden/Chelker	99.6%	-0.0%	0.2%
+ Rombalds	98.6%	-1.4%	0.0%
+ Thornton	100%	0.0%	0.0%
+ Worth Valley	100%	0.0%	0.0%
South	97.8%	-0.0%	0.6%
+ Don Valley & Winscar	99.8%	0.5%	3.1%
+ Ewden Valley	100%	0.0%	0.0%
+ Little Don	100%	0.0%	0.0%
+ Loxley Valley	100%	0.0%	0.0%
+ Redmires	73.9%	-2.6%	-5.0%
+ Rivelin Valley	100%	0.0%	0.0%



Report Date
23 February 2026

Report Date
Most Recent Report Date

Regional Total (DCP) inc East Area

98.5% % Stocks **-0.0%** % Change **0.3%** Previous % Change

Yorkshire Total (Supply) not inc East Area

98.7% % Stocks **-0.1%** % Change **0.4%** Previous % Change



Report Date
23 February 2026

Report Date
Most Recent Report Date


Reservoir Group	Reservoir	Reason For Drawdown	Required Drawdown & Duration	% Drawdown	% Stock	% Change	Previous % Change
North West	Barden Upper IRE		Mar 26 - Jun 26	30.0%	99.8%	-0.2%	1.7%
Calder	Brownhill IRE	Leakage Investigation	Mar 26 -Aug 26	51.0%	100.0%	0.0%	0.0%
North West	Chelker IRE	Pointing	Nov 24 - Dec 25	89.0%	93.5%	-0.5%	0.2%
North	Cod Beck IRE	Inspection of Overflow and Upstream Face	Aug 24 - Dec 25	83.0%			
North West	March Ghyll IRE	Embankment Stability Works	Jan 23 - Dec 25	86.0%			
Calder	Ramsden IRE	Emergency grouting	Mar 26 -Aug 26	96.0%	100.0%	0.0%	0.0%
South	Redmires Middle IRE	Damage to Overflow Channel	Nov 23 - Dec 25	89.0%	82.6%	-0.2%	-8.8%
South	Redmires Upper IRE	Damage to Overflow Channel	Nov 23 - Dec25	54.0%	57.1%	-5.0%	-5.2%
Calder	Walshaw Dean Lower IRE	OSA Repairs	Apr 25 - Dec 25	60.0%	66.6%	13.6%	-18.8%
Calder	Walshaw Dean Middle IRE	TBC	Oct 25	91.0%	100.0%	1.4%	-1.4%
Calder	Widdop IRE	Increase Drawdown Capacity	June 25 - Dec 25	10.0%	94.5%	-5.5%	8.3%



Current Stock
98.9%

Year Selection
Multiple selections ▾

Yorkshire Water - Total Reservoir Stocks (not including Hull)






Current Stock
99.6%

Year Selection
Multiple selections ▾

Nidd/Barden Reservoir Group

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line




Current Stock
98.0%

Year Selection
Multiple selections ▾

Calder Reservoirs

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line




Current Stock
99.0%

Year Selection
Multiple selections ▾

Washburn Reservoir Group inc Eccup

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line




Current Stock
97.9%

Year Selection
Multiple selections ▾

Sheffield & Barnsley Reservoirs

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line



Regional Reservoir Group

(sum of South West, North West, East, South, North & Winscar Reservoirs)

157857
MI

98.5%
% Stocks

-0.0%
% Change

Report Date

23 February 2026

Report Date

Most Recent Report Date



EA Groups	MI	% Stocks	% Change
<input type="checkbox"/> South West	43143	97.9%	-0.3%
<input type="checkbox"/> South West Area Supply Reservoirs	43143	97.9%	-0.3%
<input type="checkbox"/> Withens Clough	1467	100%	0.0%
<input type="checkbox"/> Huddersfield Group	14041	99.4%	-0.6%
<input type="checkbox"/> Calderdale Group	10765	96.6%	-0.4%
<input type="checkbox"/> Brownhill/Digley excl Holmestyes	5616	100%	0.0%
<input type="checkbox"/> Boothwood/Ryburn	11254	96.2%	-0.0%
<input type="checkbox"/> North West	47123	99.8%	-0.0%
<input type="checkbox"/> Skipton Area Supply Reservoirs	4032	99.9%	0.4%
<input type="checkbox"/> Worth Valley Group	3312	100%	0.0%
<input type="checkbox"/> Embsay	721	99.7%	2.4%
<input type="checkbox"/> Bradford Area Supply Reservoirs	43090	99.8%	-0.1%
<input type="checkbox"/> Rombalds/Thornton Group	2217	99.3%	-0.7%
<input type="checkbox"/> Nidd/Barden/Chelker	19110	99.6%	-0.0%
<input type="checkbox"/> Grimwith	21764	100%	0.0%

EA Groups	MI	% Stocks	% Change
<input type="checkbox"/> South	24105	97%	-0.4%
<input type="checkbox"/> South Area Supply	24105	97%	-0.4%
<input type="checkbox"/> Rivelin	815	100%	0.0%
<input type="checkbox"/> Redmires	2053	73.9%	-2.6%
<input type="checkbox"/> Loxley Valley	6874	100%	0.0%
<input type="checkbox"/> Little Don	7369	100%	0.0%
<input type="checkbox"/> Ewden Valley	4937	100%	0.0%
<input type="checkbox"/> Don Valley	2056	98.8%	-1.2%
<input type="checkbox"/> North	32798	99.1%	0.1%
<input type="checkbox"/> North Area Supply Reservoirs	32798	99.1%	0.1%
<input type="checkbox"/> Washburn	16362	100%	0.0%
<input type="checkbox"/> Thornton Steward	881	92.8%	-5.0%
<input type="checkbox"/> Lumley Moor	381	100%	0.0%
<input type="checkbox"/> Leighton/Roundhill	7401	100%	0.0%
<input type="checkbox"/> Haverah Park	1002	100%	0.0%
<input type="checkbox"/> Eccup	6771	96.6%	1.0%
<input type="checkbox"/> East	1291	76.7%	3.7%
<input type="checkbox"/> East Area Supply Reservoirs	1291	76.7%	3.7%
<input type="checkbox"/> Tophill Low	1291	76.7%	3.7%
<input type="checkbox"/> Hull Aquifer		Missing	

EA Groups	MI	% Stocks	% Change
<input type="checkbox"/> South	20237	100%	0.4%
<input type="checkbox"/> Other (Excluded from Area Total)	20237	100%	0.4%
<input type="checkbox"/> Winscar Group	9397	100%	0.9%
<input type="checkbox"/> Underbank	2867	100%	0.0%
<input type="checkbox"/> Scout Dike	694	100%	0.0%
<input type="checkbox"/> Morehall	2173	100%	0.0%
<input type="checkbox"/> Damflask	5106	100%	0.0%
<input type="checkbox"/> North West	8330	100%	-0.0%
<input type="checkbox"/> Other (Excluded from Area Total)	8330	100%	-0.0%
<input type="checkbox"/> Gouthwaite	5811	100%	0.0%
<input type="checkbox"/> Compensation inc Silsden	2519	99.9%	-0.1%
<input type="checkbox"/> North	2920	100%	0.0%
<input type="checkbox"/> Other (Excluded from Area Total)	2920	100%	0.0%
<input type="checkbox"/> Lindley Wood Compensation	2920	100%	0.0%




Current Stock
98.5%

Year Selection
Multiple selections ▾

Regional Reservoir Group (including Hull)

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line




Current Stock
98.5%

Year Selection
Multiple selections ▾

Regional Reservoir Group (including Hull)

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Control Line 1 ● Control Line 2 ● Control Li... ● Control Li... ● Control Li... ● Control Li... ● Control Li... ● Drought C... ● Emergenc... ● Normal ...




Current Stock
99.8%

Year Selection
Multiple selections ▾

North West Reservoir Group

(Bradford, Keighley, Skipton)

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Control Line 1 ● Control Line 2 ● Control Li... ● Control Li... ● Control Li... ● Control Li... ● Control Li... ● Drought C... ● Emergenc... ● Normal ...






Current Stock
99.1%

Year Selection
Multiple selections ▾

North Reservoir Group (Leeds, Harrogate)

- 1995
- 1996
- 2006
- 2021
- 2022
- 2023
- 2024
- 2025
- 2026
- Control Line 1
- Control Line 2
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Drought C...
- Emergenc...
- Normal ...






Current Stock
97.8%

Year Selection
Multiple selections ▾


South Reservoir Group (Sheffield, Barnsley)

- 1995
- 1996
- 2006
- 2021
- 2022
- 2023
- 2024
- 2025
- 2026
- Control Line 1
- Control Line 2
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Drought C...
- Emergenc...
- Normal ...







Average Sunshine



Average Rainfall



Soil Moisture Deficit





Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/023/332	Ainderby Steeple Boreholes	C	136.4	136	1760	7.8%
03/28/083/010	Armthorpe Boreholes	C	238.0	238	3319	7.2%
03/28/083/012	Austerfield Boreholes	C	201.2	201	11615	1.7%
02/27/022/020	Aysgarth & Newbiggin Springs	C	15.4	15	341	4.5%
02/27/012/035	Baitings, Ryburn & Blackhouse reservoirs	C	271.3	271	20457	1.3%
02/27/023/032	Bellerby Borehole and springs near Bellerby	F	69.7	704	1250	56.4%
02/27/022/209	Birk Gill & River Burn	C	558.0	557	6400	8.7%
02/27/012/254	Boothwood Reservoir & associated catchwaters	C	22.9	22	20457	0.1%
02/27/10/112	Boshaw Whams Reservoir	C	0.0	0	55	0.0%
03/28/083/105	Boston Park Boreholes	C	184.5	184	3318	5.6%
02/27/024/305	Brayton Barff Boreholes	C	0.0	0	2250	0.0%
02/26/030/002	Bridlington	C	163.1	163	2500	6.5%
02/27/005/031	Broomhead Reservoir	F	946.7	7588	12410	61.1%
02/26/030/004	Burton Agnes	C	80.2	80	1000	8.0%

Data Up To
31 January 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.



Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/018/080	Carlton Hanger Lane Boreholes	C	192.9	192	3500	5.5%
02/27/018/079	Carlton Mill Lane Boreholes	C	150.4	150	3800	4.0%
02/27/019/009	Carr Bottom Reservoir, Burley Woodhead	C	0.0	0	409	0.0%
02/27/023/340	Catterick Boreholes	F	212.9	2042	3650	56.0%
02/27/027/136	Cayton Carr Lane Boreholes	C	195.2	195	3928	5.0%
02/27/027/163	Cayton Station Road Borehole	C	5.9	5	2646	0.2%
02/27/019/137	Chelker Reservoir	C	421.9	421	5000	8.4%
02/27/023/031	Coalsgarth Springs	C	6.4	6	750	0.9%
02/27/011/064	Colne Valley Catchwaters	F	105.5	3521	5840	60.3%
02/26/032/126	Cottingham Well	C	1063.3	1063	18184	5.8%
02/27/018/081	Cowick Boreholes	C	380.3	380	5250	7.2%
02/27/023/046	Cranehow & Downholme Springs	C	1.1	1	318	0.3%
02/27/023/030	Crumma, Newsham & Gandale Springs	C	63.8	63	1364	4.7%
02/27/005/030	Dale Dyke & Agden Reservoirs	F	1074.4	9019	21412	42.1%
02/27/012/261	Dean Head & Scammonden	F	52.0	1734	3650	47.5%
02/27/19/121	Dib Spring, Hawkswick	C	0.0	0	27	0.0%
02/26/032/126	Dunswell Well	C	529.6	529	16593	3.2%
NE/27/025/021	East Ness Boreholes	F	294.8	2716	5680	47.8%
02/26/031/087	Elmswell Wold Borehole	C	17.9	17	1273	1.4%
02/27/015/045	Embsay Reservoir	C	163.0	162	1846	8.8%
02/27/016/196	Esholt Sewage Treatment Works	C	0.0	0	88	0.0%
02/26/032/124	Etton Boreholes	C	106.4	106	5100	2.1%
03/28/083/012	Finningley Boreholes	C	326.4	326	6780	4.8%
02/27/022/328	Fossdale (High Shaw) Springs	C	12.8	12	227	5.6%

Data Up To
31 January 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/018/120	Goosehouse Boreholes	C	268.2	268	3500	7.7%
02/27/012/043	Gorpley Reservoir	C	0.0	0	1823	0.0%
02/27/016/022	Graincliffe Reservoir	F	267.5	762	2728	28.0%
02/27/012/037	Green Withens Ringstone Res & catchwater	C	545.4	545	20457	2.7%
02/27/019/051	Greenhow Tunnel (Nidd Aqueduct) Dale Head Intake	C	0.0	0	214	0.0%
02/27/019/052	Greenhow Tunnel (Nidd Aqueduct) No.2 Access Shaft	C	0.0	0	6819	0.0%
NE/27/019/005	Grimwith Reservoir to Nidd Aqueduct	F	0.6	1763	3650	48.3%
02/26/030/003	Haisthorpe Boreholes	C	203.1	203	5000	4.1%
03/28/083/012	Hatfield Boreholes	C	174.6	174	3319	5.3%
03/28/083/100	Hatfield Woodhouse Boreholes	C	0.0	0	3320	0.0%
02/27/029/010	Hazel Head Springs	C	52.2	52	1162	4.5%
02/27/012/041	Hebden, Luddenden & Hebble Valley Resrs	F	1174.7	10034	15695	63.9%
02/27/018/077	Heck Boreholes	C	25.0	24	2489	1.0%
03/28/083/012	Highfield Lane Boreholes	C	426.7	426	11615	3.7%
02/27/023/685	Hollin Hill Borehole	F	0.0	25	45	56.8%
02/27/010/063	Holmestyes & Digley Reservoirs	F	193.5	1581	5840	27.1%
02/27/22/024	Horsehouse Spring, leyburn	C	0.0	0	33	0.0%
02/27/027/002	Howe Hill Well	F	81.2	792	1014	78.2%
02/26/031/006	Hutton Cranswick	C	45.0	44	796	5.7%
02/27/005/012	Ingbirchworth Reservoir & Annat Royd Intake	C	204.2	204	3637	5.6%
02/27/005/202	Ingbirchworth South Borehole	F	4.2	40	132	30.6%
02/27/027/058	Irton	C	461.2	461	8215	5.6%
02/27/21/015	John O'Gaunts and Beaverdyke Reservoirs	C	0.0	0	1909	0.0%
02/27/014/010	Keighley Moor Reservoir	F	11.1	376	6951	5.4%
02/27/025/128	Keld Head Boreholes	C	172.0	171	3319	5.2%
02/26/032/126	Keldgate Boreholes	C	127.3	127	5819	2.2%
02/26/031/002	Kilham	C	0.0	0	1818	0.0%

Data Up To
31 January 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.



Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/005/032	Langsett Reservoir	C	1294.8	1294	17155	7.5%
02/27/022/210	Leighton Reservoir & Spruce Gill stream intake	C	466.8	466	13184	3.5%
03/28/083/107	Littleworth Borehole	C	1.6	1	1659	0.1%
02/27/028/270	Loftsome Bridge ASR Borehole No.1	C	0.0	0	150000	0.0%
02/27/014/009	Lower Laithe Reservoir	F	186.0	1434	6951	20.6%
02/27/005/011	Midhope Reservoir & Knoll Brook Intake	F	288.0	1764	17155	10.3%
02/26/034/006	North Newbald	C	0.0	0	548	0.0%
03/28/083/012	Nutwell Boreholes	C	254.3	254	4983	5.1%
02/27/019/006	Panorama, Hilltop & Old Reservoirs & Springs	C	0.0	0	1000	0.0%
02/27/018/078	Pollington Boreholes	C	151.9	151	5000	3.0%
02/27/014/058	Ponden Reservoir	F	167.3	1357	6951	19.5%
02/27/016/023	Reva Reservoir, Hawkesworth	C	135.3	135	1364	9.9%
02/27/005/029	Rivelin and Redmires Reservoirs	F	1022.9	3902	8030	48.6%
02/27/028/017	River Derwent at Elvington	F	5036.8	54493	75000	72.7%
02/27/028/083	River Derwent at Loftsome Bridge	F	2191.5	20161	30400	66.3%
02/27/029/012	River Esk	C	294.0	293	7823	3.8%
02/26/031/047	River Hull & West Beck	C	1439.5	1439	25000	5.8%
02/26/032/194	River Hull for Sewer Cleaning	C	0.0	0	91	0.0%
02/27/024/078	River Ouse at Acomb	F	908.4	9119	35000	26.1%
02/27/024/158	River Ouse at Moor Monkton	F	2788.0	31493	73000	43.1%
02/27/022/214	River Ure at Kilgram Bridge	F	203.5	4919	15000	32.8%
02/27/020/196	River Wharfe at Arthington	F	0.0	4740	19009	24.9%
02/27/019/129	River Wharfe at Lobwood	F	1832.4	20651	27392	75.4%
03/28/083/012	Rossington Bridge Boreholes	C	0.0	0	5172	0.0%
02/27/022/027	Roundhill and Lumley Moor Reservoirs	C	53.8	53	3500	1.5%
02/27/005/013	Royd Moor Reservoir & Intakes	C	258.4	258	2955	8.7%

Data Up To
31 January 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/021/016	Scargill Reservoir	C	93.8	93	1932	4.9%
02/27/021/092	Scarhouse & Angram Resvrs with tunnel & catchwater	C	3271.8	3271	38164	8.6%
02/27/15/149	Silsden Beck, Stilling-Basin at foot of Silsden Reservoir Embankment	C	0.0	0	10	0.0%
02/26/032/126	Springhead Well	C	588.0	587	13638	4.3%
02/27/022/021	Stalling Busk & Marsett Springs	C	0.0	0	33	0.0%
02/27/022/208	Stock Beck, Carlesmoor Beck & River Laver	C	321.9	321	3500	9.2%
02/27/023/684	Stubbing Nook Borehole	F	0.0	89	135	66.6%
03/28/083/012	Thornham Boreholes	C	306.1	306	6213	4.9%
02/27/016/160	Thornton Moor & Stubden Reservoirs	C	251.1	251	6214	4.0%
02/27/012/038	Turvin Clough	C	0.0	0	4014	0.0%
02/27/019/054	Upper & Lower Barden Reservoirs	C	791.2	791	14223	5.6%
02/27/020/088	Washburn Valley Reservoirs	C	3685.3	3685	43800	8.4%
02/27/015/041	Watersheddles Reservoir	F	215.6	1365	6951	19.6%
02/27/016/021	Weechar Reservoir	C	0.2	0	909	0.0%
02/27/011/065	Wessenden Valley, Blackmoorfoot & Deerhill	F	1087.2	6878	12410	55.4%
02/27/023/034	West Stonesdale (Garland Hill) Springs	C	0.0	0	282	0.0%
02/27/015/042	Whinney Gill & Jenny Gill Reservoirs	C	0.0	0	377	0.0%
02/27/005/026	Winscar, U & L Windleden, Harden & Snailsden	F	220.4	6109	10140	60.2%
02/27/012/036	Withens Clough Resr & Catchwater	C	212.0	212	3319	6.4%
02/27/010/011	Yateholme, Riding Wood, Ramsden & Brownhill	F	359.0	2786	6820	40.9%

Data Up To
31 January 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Licences with Aggregated Annual Quantities

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
Austerfield & Highfield Lane	C	628.0	628	9956	6.3%
Baitings, Ryburn, Boothwood, Green Withens	C	840.0	840	20457	4.1%
Cayton, Irton	C	662.0	662	10700	6.2%
Doncaster Sub Group	C	1689.0	1689	26049	6.5%
Doncaster Wellfield	C	2113.0	2113	30295	7.0%
Hull Groundwater Sources	C	2308.0	2308	32850	7.0%
Langsett, Midhope	C/F	1583.0	3059	17155	17.8%
River Derwent (Elvington, Loftsome)	F	7228.0	74655	94841	78.7%
Selby Boreholes	C	1169.0	1169	25283	4.6%
Worth Valley	F	580.0	4534	6951	65.2%

Aggregated Data Up To

31 January 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Third Party Agreements (Calendar Year)

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
CRT, Hudds Narrow Canal	C	0.7	0	1273	0.1%
Severn Trent Ladybower Reservoir	C	1244.3	1244	21550	5.8%

Third Party Data Up To

31 January 2026

Transfer

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
Winscar To Langsett Transfer Usage	F		1618	2482	65.2%

Transfer Data Up To

31 December 2025