

1 - Rainfall

The Yorkshire Region has received 37.6% of LTA for August

2 - Reservoirs (surface water supply reservoirs not including Hull)

Over the past week our reservoir stocks have changed by -2.6% to 51.6%

3 - Rivers

Some of our rivers are below critical level

4 - Demand

Regional Demand = 1300 MI/d (including York)

Report Last Refresh Date (UTC)

2026-08-25 13:45:58

River ▲	Monday, August 03, 2026	Monday, August 10, 2026	Monday, August 17, 2026	Monday, August 24, 2026
Derwent	309	299	288	344
Hull (using gauged (residual flows) only from 2011)	274	50	52	97
Ouse	437	458	462	
Ure	76	79	70	187
Wharfe	150	138	149	188

River ▲	Critical flow bands (MI/d)
Derwent	305
Hull (using gauged (residual flows) only from 2011)	45 / 159 / 227
Ouse	400 / 650 / 1000
Ure	50 / 163 / 300
Wharfe	252 / 389 / 488 / 580


Current Flow (MI/d)
344.1

Year Selection

Multiple selections ▾

River Derwent

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026




Current Flow (MI/d)
97.2

Year Selection
Multiple selections ▾

River Hull


2021 2022 2023 2024 2025 2026



Current Flow (MI/d)
711.7

Year Selection
Multiple selections ▾

River Ouse



Current Flow (MI/d)

186.8


Year Selection

Multiple selections



River Ure

2021 2022 2023 2024 2025 2026




Current Flow (MI/d)
188.4

Year Selection

Multiple selections ▾

River Wharfe

2021 2022 2023 2024 2025 2026



Year	Month	Yorkshire Region mm	Yorkshire Region LTA mm	Yorkshire Region LTA (%)	England/Wales mm	England/Wales LTA (%)
2026	01	98	79	124	131	141
2026	02	99	69	143	119	162
2026	03	57	60	95	55	85
2026	04	25	58	43	26	43
2026	05	63	55	114	46	75
2026	06	54	73	74	72	105
2026	07	7	70	10	7	10

Year Selection

Most Recent Year

Yorkshire Region		
Average mm	LTA mm	LTA %
14.0	68.9	20.4%

Month Selection

July

▼

Year Selection

2026

▼

West Average mm	West LTA mm	West LTA %
18.2	75.5	24.1%

East Average mm	East LTA mm	East LTA %
3.5	52.3	6.7%

▲ Rainfall Station	Total mm	LTA mm	LTA %
Blackmoorfoot	14.2	70	20%
Fewston	9.8	61	16%
Gt Walden Edge	25.5	91	28%
Langsett	6.4	59	11%
Ramsden	25.3	89	28%
Redmires	15.3	66	23%
Roundhill	3.6	62	6%
Scar House	10.1	78	13%
Walshaw Dean	40.7	88	46%
Watersheddles	31.4	91	35%

▲ Rainfall Station	Total mm	LTA mm	LTA %
Bridlington	6.1	51	12%
Cottingham	0.0	49	0%
Osmotherley	6.7	61	11%
Tophill	1.2	48	3%

		Thursday, August 20, 2026		Thursday, August 13, 2026				Thursday, August 20, 2026		Thursday, August 13, 2026	
		Previous Week		Two Weeks Prior				Previous Week		Two Weeks Prior	
Water Treatment Works	Operational Maxima & Design Yields (MI/d)	WRAP Targets Week Beginning - Previous Week	Daily Average Previous 5 Days Starting - Previous Week	WRAP Targets Week Starting - Two Weeks Prior	Daily Average Week Starting - Two Weeks Prior	Water Treatment Works	Operational Maxima & Design Yields (MI/d)	WRAP Targets Week Beginning - Previous Week	Daily Average Previous 5 Days Starting - Previous Week	WRAP Targets Week Starting - Two Weeks Prior	Daily Average Week Starting - Two Weeks Prior
☐ Central	▼					☐ Grid	▼				
ECCUP NO 1 WTW	100	53	52	52	50	ELVINGTON	260	159	189	192	178
HEADINGLEY	95	63	78	74	79	LOFTSOME BRIDGE	110	75	79	82	20
ECCUP NO 2 WTW	60	44	21	33	32	☐ South					
HARLOW HILL	42	27	30	27	31	RIVELIN	68	64	48	42	47
THORNTON STEWARD	23	20	24	26	26	LANGSETT	56	36	47	47	48
☐ North West						EWDEN	40	35	32	27	34
CHELLOW	175	148	155	149	152	LOXLEY	40	26	32	29	33
GRAINCLIFFE	60	38	40	36	42	INGBIRCHWORTH	20	20	19	19	11
EMBSAY	25	17	21	21	21	☐ South West					
SLADEN VALLEY	12	8	9	9	9	ALBERT	55	51	42	37	48
OLDFIELD	10	6	6	6	5	LONGWOOD	32	27	20	20	20
☐ East						FIXBY	30	21	19	18	16
KELDGATE	90	60	71	79	84	KIRKHAMGATE	30	17	16	14	18
TOPHILL LOW	68	40	46	40	45	HOLMBRIDGE	29	19	21	21	22
IRTON	24	13	15	14	16	BLACKMOORFOOT	23	20	17	15	19
EAST NESS	17	8	9	8	11						
RUSWARP	12	7	9	10	10						

Daily Average Demand MI/d

Week Ending Wednesday ▼	Leeds	Wakefield And Morley	Selby	Harrogate	Hull	Malton	Sheffield And Barnsley	Doncaster	Bradford	Calder	Skipton	York Area	Region
24 August 2026	160	73	42	76	162	58	272	83	142	145	38	49	1300
17 August 2026	161	74	47	84	180	67	297	94	152	153	39	48	1395
10 August 2026	164	71	46	81	181	66	289	93	147	148	38	56	1380
03 August 2026	168	73	48	84	186	64	292	94	149	151	39	54	1404
27 July 2026	169	71	48	83	180	63	281	96	150	151	40	50	1382

Monthly Demands from WIS Report (MI/d)

Month And Year ▼	Leeds	Wakefield And Morley	Selby	Harrogate	Hull	Malton	Sheffield And Barnsley	Doncaster	Bradford	Calder	Skipton	York Area	Region
July 2026	172	75	49	84	194	54	295	96	154	155	39	52	1418
June 2026	168	71	45	78	169	50	284	90	151	150	37	47	1348
May 2026	168	71	44	75	174	49	277	86	145	147	38	48	1323

NB Current month demands include some estimates for minor sources and are not exactly comparable with previous months' figures.


Page 6 - Demand Plots (Regional)

Data Team
Maintained



1300


Multiple selections



Current Demand (Ml/d)
795

Year Selection
Multiple selections ▾

West Area Demand




Current Demand (Ml/d)
505

Year Selection
Multiple selections ▼

East Area Demand

1995 1996 2006 2021 2022 2023 2024 2025 2026




Current Stock

43.4%

Year Selection

Multiple selections ▾




Current Level (mAOD)
18.8

Year Selection
Multiple selections ▾

Chalk (Wolds Aquifer)

Wetwang Observation Borehole - SE 958 594



Current Level (mAOD)

5.2

Year Selection


Multiple selections



Chalk (Hull Aquifer)

Westwood Observation Borehole - TA 020 399

1995 1996 2006 2021 2022 2023 2024 2025 2026



Reservoir Groups	% Stocks	% Change	Previous % Change
Calder	53.4%	-2.6%	-3.5%
East	44.9%	0.3%	-1.2%
Hull Aquifer	43.4%	0.3%	-1.0%
Tophill Low	61.8%	0.0%	-2.8%
TOPHILL LOW NO 1 ESR	56.8%	0.0%	0.2%
TOPHILL LOW NO 2 ESR	67.6%	0.0%	-6.3%
North	52.6%	-2.4%	-4.0%
Haverah Park	28.4%	-5.5%	-5.7%
Leighton & Roundhill	49.2%	-2.7%	-4.8%
Lumley Moor	48.5%	-1.4%	-1.4%
Thornton Steward	90%	0.0%	1.4%
Washburn & Eccup Resvrs	53.3%	-2.3%	-3.9%
ECCUP ESR	54.1%	-0.6%	-5.5%
FEWSTON IRE	46.7%	-1.0%	-1.7%
SWINSTY IRE	51.7%	1.0%	0.9%
THRUSCROSS IRE	56.7%	-6.4%	-6.4%
North West	52.3%	-2.9%	-4.1%
South	47.5%	-2.3%	-3.5%
Don Valley & Winscar	58.6%	-1.5%	-3.5%
BROADSTONES ESR	56.8%	-6.2%	-5.9%
HARDEN IRE	100%	0.0%	0.0%
INGBIRCHWORTH IRE	63.5%	-1.5%	-2.1%
ROYD MOOR IRE	56.6%	8.8%	-13.1%
SNAILSDEN IRE	53.4%	-3.2%	-5.5%
WINDLEDEN LOWER IRE	32%	-6.5%	-7.6%
WINDLEDEN UPPER IRE	52.6%	-1.1%	-1.4%
WINSCAR IRE	58.1%	-2.2%	-2.7%
Ewden Valley	33.6%	-3.6%	-4.4%
BROOMHEAD IRE	33.6%	-3.6%	-4.4%
Little Don	39.4%	-3.2%	-3.2%
LANGSETT IRE	35%	-3.4%	-3.4%
MIDHOPE IRE	52.5%	-2.6%	-2.4%
Loxley Valley	50.6%	-2.5%	-3.8%
Redmires	32%	-1.5%	-2.2%



Report Date

24 August 2026

Report Date

Most Recent Report Date

50.9%

% Stocks

Regional Total (DCP) inc East Area

-2.2%

% Change

-3.5%

Previous % Change

51.6%

% Stocks

Yorkshire Total (Supply) not inc East Area

-2.6%

% Change

-3.8%

Previous % Change

View Sites Using
Fallback Data

Report Date

24 August 2026

Report Date

Most Recent Report Date


▼

Reservoir Group	Reservoir	Reason For Drawdown	Required Drawdown & Duration	% Drawdown	% Stock	% Change	Previous % Change
North West	Barden Upper IRE		Mar 26 - Jun 26	30.0%	19.4%	0.0%	-4.2%
Calder	Brownhill IRE	Leakage Investigation	Mar 26 -Aug 26	51.0%	35.0%	-1.5%	-1.8%
North West	Chelker IRE	Pointing	Nov 24 - Dec 25	89.0%	94.9%	1.4%	-1.2%
North	Cod Beck IRE	Inspection of Overflow and Upstream Face	Aug 24 - Dec 25	83.0%			
North West	March Ghyll IRE	Embankment Stability Works	Jan 23 - Dec 25	86.0%			
Calder	Ramsden IRE	Emergency grouting	Mar 26 -Aug 26	96.0%	48.5%	-2.5%	-5.3%
South	Redmires Middle IRE	Damage to Overflow Channel	Nov 23 - Dec 25	89.0%	25.3%	-5.0%	-2.8%
South	Redmires Upper IRE	Damage to Overflow Channel	Nov 23 - Dec25	54.0%	22.7%	-1.8%	-4.4%
Calder	Walshaw Dean Lower IRE	OSA Repairs	Apr 25 - Dec 25	60.0%	21.6%	1.5%	-0.6%
Calder	Walshaw Dean Middle IRE	TBC	Oct 25	91.0%	52.2%	-6.0%	-4.6%
Calder	Widdop IRE	Increase Drawdown Capacity	June 25 - Dec 25	10.0%	29.6%	0.3%	-1.9%

Current Stock
50.5%

Year Selection
Multiple selections ▾


Yorkshire Water - Total Reservoir Stocks (not including Hull)



Current Stock
45.4%

Year Selection

Multiple selections ▼




Current Stock

53.5%


Year Selection

Multiple selections ▾



Current Stock
53.3%


Year Selection
Multiple selections ▾



Current Stock
44.9%

Year Selection

Multiple selections ▾



Regional Reservoir Group				Report Date		Report Date
(sum of South West, North West, East, South, North & Winscar Reservoirs)				24 August 2026		Most Recent Report Date
91195		50.9%	-2.2%			
MI		% Stocks	% Change			


EA Groups	MI	% Stocks	% Change	EA Groups	MI	% Stocks	% Change	EA Groups	MI	% Stocks	% Change
EA Groups				EA Groups				EA Groups			
[-] South West	23515	53.4%	-2.6%	[-] South	10816	43.5%	-2.3%	[+] South	10662	52.7%	-2.7%
[-] South West Area Supply Reservoirs	23515	53.4%	-2.6%	[-] South Area Supply	10816	43.5%	-2.3%	[+] North West	3817	45.8%	-3.2%
[+] Withens Clough	482	32.8%	-7.2%	[+] Rivelin	622	76.2%	-1.4%	[+] North	397	13.6%	-4.6%
[+] Huddersfield Group	8591	60.8%	-2.1%	[+] Redmires	889	32%	-1.5%				
[+] Calderdale Group	5292	47.5%	-2.6%	[+] Loxley Valley	3478	50.6%	-2.5%				
[+] Brownhill/Digley excl Holmestyes	2838	50.5%	-3.3%	[+] Little Don	2907	39.4%	-3.2%				
[+] Boothwood/Ryburn	6312	53.9%	-2.1%	[+] Ewden Valley	1659	33.6%	-3.6%				
[+] North West	24682	52.3%	-2.9%	[+] Don Valley	1262	60.7%	2.7%				
				[+] North	17426	52.6%	-2.4%				
				[+] East	9290	44.9%	0.3%				

Current Stock
50.9%

Year Selection

Multiple selections ▾

Regional Reservoir Group (including Hull)



Current Stock


50.9%

Year Selection

Multiple selections ▾

Regional Reservoir Group (including Hull)

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Control Line 1 ● Control Line 2 ● Control Li... ● Control Li... ● Control Li... ● Control Li... ● Control Li... ● Drought C... ● Emergenc... ● Normal ...




Current Stock

52.3%

Year Selection

Multiple selections ▾




Current Stock
53.4%

Year Selection

Multiple selections ▾

South West Reservoir Group

(Calderdale, Kirklees)



Current Stock

52.6%


Year Selection

Multiple selections



North Reservoir Group

(Leeds, Harrogate)




Current Stock
47.5%

Year Selection
Multiple selections ▾

South Reservoir Group

(Sheffield, Barnsley)



Current Stock

44.9%


Year Selection

Multiple selections




East Reservoir Group


(Hull Aquifer, Tophill Low)




Average Sunshine



Average Rainfall



Soil Moisture Deficit



Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/023/332	Ainderby Steeple Boreholes	C	131.8	798	1760	45.4%
03/28/083/010	Armthorpe Boreholes	C	213.4	1301	3319	39.2%
03/28/083/012	Austerfield Boreholes	C	154.0	1183	11615	10.2%
02/27/022/020	Aysgarth & Newbiggin Springs	C	15.2	94	341	27.6%
02/27/012/035	Baitings, Ryburn & Blackhouse reservoirs	C	728.1	2080	20457	10.2%
02/27/023/032	Bellerby Borehole and springs near Bellerby	F	71.8	214	1250	17.2%
02/27/022/209	Birk Gill & River Burn	C	288.7	2112	6400	33.0%
02/27/012/254	Boothwood Reservoir & associated catchwaters	C	343.4	894	20457	4.4%
02/27/10/112	Boshaw Whams Reservoir	C	0.0	0	55	0.0%
03/28/083/105	Boston Park Boreholes	C	179.7	1085	3318	32.7%
02/27/024/305	Brayton Barff Boreholes	C	0.0	0	2250	0.0%
02/26/030/002	Bridlington	C	169.8	947	2500	37.9%
02/27/005/031	Broomhead Reservoir	F	865.3	2718	12410	21.9%
02/26/030/004	Burton Agnes	C	75.8	458	1000	45.9%

Data Up To

30 June 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/018/080	Carlton Hanger Lane Boreholes	C	193.5	1150	3500	32.9%
02/27/018/079	Carlton Mill Lane Boreholes	C	145.5	917	3800	24.1%
02/27/019/009	Carr Bottom Reservoir, Burley Woodhead	C	0.0	0	409	0.0%
02/27/023/340	Catterick Boreholes	F	181.5	552	3650	15.2%
02/27/027/136	Cayton Carr Lane Boreholes	C	164.0	991	3928	25.2%
02/27/027/163	Cayton Station Road Borehole	C	49.5	267	2646	10.1%
02/27/019/137	Chelker Reservoir	C	77.3	1317	5000	27.3%
02/27/023/031	Coalsgarth Springs	C	9.5	64	750	8.6%
02/27/011/064	Colne Valley Catchwaters	F	628.7	1365	5840	23.4%
02/26/032/126	Cottingham Well	C	0.0	3170	18184	17.4%
02/27/018/081	Cowick Boreholes	C	359.2	2159	5250	41.1%
02/27/023/046	Cranehow & Downholme Springs	C	0.0	13	318	4.2%
02/27/023/030	Crumma, Newsham & Gandale Springs	C	56.9	346	1364	25.4%
02/27/005/030	Dale Dyke & Agden Reservoirs	F	885.1	2689	21412	12.6%
02/27/012/261	Dean Head & Scammonden	F	309.7	672	3650	18.4%
02/27/19/121	Dib Spring, Hawkswick	C	0.0	0	27	0.0%
02/26/032/126	Dunswell Well	C	352.7	1728	16593	10.4%
NE/27/025/021	East Ness Boreholes	F	294.1	838	5680	14.8%
02/26/031/087	Elmswell Wold Borehole	C	3.0	44	1273	3.5%
02/27/015/045	Embsay Reservoir	C	65.3	894	1846	48.5%
02/27/016/196	Esholt Sewage Treatment Works	C	0.0	0	88	0.0%
02/26/032/124	Etton Boreholes	C	136.8	687	5100	13.5%
03/28/083/012	Finningley Boreholes	C	287.7	1769	6780	26.1%
02/27/022/328	Fossdale (High Shaw) Springs	C	11.2	77	227	34.0%

Data Up To

30 June 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/018/120	Goosehouse Boreholes	C	247.4	1541	3500	44.1%
02/27/012/043	Gorpley Reservoir	C	0.0	0	1823	0.0%
02/27/016/022	Graincliffe Reservoir	F	16.7	92	2728	3.4%
02/27/012/037	Green Withens Ringstone Res & catchwater	C	346.5	2658	20457	13.0%
02/27/019/051	Greenhow Tunnel (Nidd Aqueduct) Dale Head Intake	C	0.0	0	214	0.0%
02/27/019/052	Greenhow Tunnel (Nidd Aqueduct) No.2 Access Shaft	C	0.0	0	6819	0.0%
NE/27/019/005	Grimwith Reservoir to Nidd Aqueduct	F	247.9	332	3650	9.1%
02/26/030/003	Haisthorpe Boreholes	C	396.7	2380	5000	47.6%
03/28/083/012	Hatfield Boreholes	C	191.6	1118	3319	33.7%
03/28/083/100	Hatfield Woodhouse Boreholes	C	0.0	0	3320	0.0%
02/27/029/010	Hazel Head Springs	C	36.1	203	1162	17.5%
02/27/012/041	Hebden, Luddenden & Hebble Valley Resrs	F	1044.8	3253	15695	20.7%
02/27/018/077	Heck Boreholes	C	60.7	381	2489	15.3%
03/28/083/012	Highfield Lane Boreholes	C	431.0	2494	11615	21.5%
02/27/023/685	Hollin Hill Borehole	F	0.2	0	45	0.4%
02/27/010/063	Holmestyes & Digley Reservoirs	F	153.9	590	5840	10.1%
02/27/22/024	Horsehouse Spring, leyburn	C	0.0	0	33	0.0%
02/27/027/002	Howe Hill Well	F	77.6	245	1014	24.2%
02/26/031/006	Hutton Cranswick	C	50.1	272	796	34.3%
02/27/005/012	Ingbirchworth Reservoir & Annat Royd Intake	C	-152.1	727	3637	20.0%
02/27/005/202	Ingbirchworth South Borehole	F	3.9	11	132	9.1%
02/27/027/058	Irton	C	493.4	2781	8215	33.9%
02/27/21/015	John O'Gaunts and Beaverdyke Reservoirs	C	0.0	0	1909	0.0%
02/27/014/010	Keighley Moor Reservoir	F	36.9	110	6951	1.6%
02/27/025/128	Keld Head Boreholes	C	169.4	992	3319	29.9%
02/26/032/126	Keldgate Boreholes	C	195.8	738	5819	12.7%
02/26/031/002	Kilham	C	3.0	9	1818	0.5%

Data Up To

30 June 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/005/032	Langsett Reservoir	C	1150.2	7396	17155	43.1%
02/27/022/210	Leighton Reservoir & Spruce Gill stream intake	C	506.2	3497	13184	26.5%
03/28/083/107	Littleworth Borehole	C	30.0	30	1659	1.8%
02/27/028/270	Loftsome Bridge ASR Borehole No.1	C	0.0	0	150000	0.0%
02/27/014/009	Lower Laithe Reservoir	F	269.9	685	6951	9.9%
02/27/005/011	Midhope Reservoir & Knoll Brook Intake	F	289.3	687	17155	4.0%
02/26/034/006	North Newbald	C	0.0	0	548	0.0%
03/28/083/012	Nutwell Boreholes	C	226.5	1401	4983	28.1%
02/27/019/006	Panorama, Hilltop & Old Reservoirs & Springs	C	18.8	37	1000	3.8%
02/27/018/078	Pollington Boreholes	C	283.1	1225	5000	24.5%
02/27/014/058	Ponden Reservoir	F	0.0	64	6951	0.9%
02/27/016/023	Reva Reservoir, Hawkesworth	C	53.0	391	1364	28.7%
02/27/005/029	Rivelin and Redmires Reservoirs	F	163.8	584	8030	7.3%
02/27/028/017	River Derwent at Elvington	F	5084.7	14319	75000	19.1%
02/27/028/083	River Derwent at Loftsome Bridge	F	2294.3	6336	30400	20.8%
02/27/029/012	River Esk	C	270.7	1599	7823	20.4%
02/26/031/047	River Hull & West Beck	C	1368.4	7997	25000	32.0%
02/26/032/194	River Hull for Sewer Cleaning	C	0.0	0	91	0.0%
02/27/024/078	River Ouse at Acomb	F	813.8	2719	35000	7.8%
02/27/024/158	River Ouse at Moor Monkton	F	1925.9	8388	73000	11.5%
02/27/022/214	River Ure at Kilgram Bridge	F	439.7	1154	15000	7.7%
02/27/020/196	River Wharfe at Arthington	F	17.5	44	19009	0.2%
02/27/019/129	River Wharfe at Lobwood	F	2257.2	6147	27392	22.4%
03/28/083/012	Rossington Bridge Boreholes	C	0.0	0	5172	0.0%
02/27/022/027	Roundhill and Lumley Moor Reservoirs	C	14.8	262	3500	7.5%
02/27/005/013	Royd Moor Reservoir & Intakes	C	80.6	843	2955	28.6%

Data Up To

30 June 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/021/016	Scargill Reservoir	C	138.3	527	1932	27.3%
02/27/021/092	Scarhouse & Angram Resvrs with tunnel & catchwater	C	2903.7	18214	38164	47.7%
02/27/15/149	Silsden Beck, Stilling-Basin at foot of Silsden Reservoir Embankment	C	0.0	0	10	0.0%
02/26/032/126	Springhead Well	C	703.8	4015	13638	29.4%
02/27/022/021	Stalling Busk & Marsett Springs	C	0.0	0	33	0.0%
02/27/022/208	Stock Beck, Carlesmoor Beck & River Laver	C	35.4	1226	3500	35.0%
02/27/023/684	Stubbing Nook Borehole	F	2.1	5	135	3.7%
03/28/083/012	Thornham Boreholes	C	279.8	1731	6213	27.9%
02/27/016/160	Thornton Moor & Stubden Reservoirs	C	145.0	1331	6214	21.4%
02/27/012/038	Turvin Clough	C	27.4	28	4014	0.7%
02/27/019/054	Upper & Lower Barden Reservoirs	C	780.3	5290	14223	37.2%
02/27/020/088	Washburn Valley Reservoirs	C	2856.9	16633	43800	38.0%
02/27/015/041	Watersheddles Reservoir	F	146.6	446	6951	6.4%
02/27/016/021	Weecher Reservoir	C	27.8	37	909	4.2%
02/27/011/065	Wessenden Valley, Blackmoorfoot & Deerhill	F	601.3	2310	12410	18.6%
02/27/023/034	West Stonesdale (Garland Hill) Springs	C	0.0	0	282	0.0%
02/27/015/042	Whinney Gill & Jenny Gill Reservoirs	C	0.0	0	377	0.0%
02/27/005/026	Winscar, U & L Windleden, Harden & Snailsden	F	714.5	1852	10140	18.3%
02/27/012/036	Withens Clough Resr & Catchwater	C	196.5	1284	3319	38.7%
02/27/010/011	Yateholme, Riding Wood, Ramsden & Brownhill	F	392.7	979	6820	14.4%

Data Up To

30 June 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Licences with Aggregated Annual Quantities

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
Austerfield & Highfield Lane	C	585.0	3677	9956	36.9%
Baitings, Ryburn, Boothwood, Green Withens	C	1418.0	5634	20457	27.5%
Cayton, Irton	C	707.0	4040	10700	37.8%
Doncaster Sub Group	C	1571.0	9699	26049	37.2%
Doncaster Wellfield	C	1994.0	12116	30295	40.0%
Hull Groundwater Sources	C	1252.0	9653	32850	29.4%
Langsett, Midhope	C/F	1440.0	8085	17155	47.1%
River Derwent (Elvington, Loftsome)	F	7379.0	20656	94841	21.8%
Selby Boreholes	C	1289.0	7375	25283	29.2%
Worth Valley	F	453.0	1307	6951	18.8%

Aggregated Data Up To

30 June 2026

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Third Party Agreements (Calendar Year)

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
CRT, Hudds Narrow Canal	C	136.0	419	1272	33.0%
Severn Trent Ladybower Reservoir	C	1674.2	9526	21550	44.0%

Third Party Data Up To

30 June 2026

Transfer

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
Winscar To Langsett Transfer Usage	F	0.0	0	2482	0.0%

Transfer Data Up To

30 June 2026