

## 1 - Rainfall

The Yorkshire Region has received 86.7% of LTA for June

## 2 - Reservoirs (surface water supply reservoirs not including Hull)

Over the past week our reservoir stocks have changed by -3.8% to 78.3%

## 3 - Rivers

Some of our rivers are below critical level

## 4 - Demand

Regional Demand = 1447 MI/d (including York)

Report Last Refresh Date (UTC)

2026-06-30 17:48:28



River	Monday, June 08, 2026	Monday, June 15, 2026	Monday, June 22, 2026	Monday, June 29, 2026
Derwent	601	563	458	447
Hull (using gauged (residual flows) only from 2011)	193	137	2000	1084
Ouse	1914	1697	1381	1124
Ure	716	431	273	304
Wharfe	731	470	329	271


River	Critical flow bands (MI/d)
Derwent	305
Hull (using gauged (residual flows) only from 2011)	45 / 159 / 227
Ouse	400 / 650 / 1000
Ure	50 / 163 / 300
Wharfe	252 / 389 / 488 / 580

Current Flow (MI/d)  
**447.2**

Year Selection  
Multiple selections ▾

## River Derwent

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026






Current Flow (MI/d)  
**1083.8**

Year Selection  
Multiple selections ▾

## River Hull

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026




Current Flow (MI/d)  
**1124.1**

Year Selection  
Multiple selections ▾

## River Ouse

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026




Current Flow (MI/d)  
**303.6**

Year Selection  
Multiple selections ▾

## River Ure

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026






Current Flow (MI/d)  
**271.3**

Year Selection  
Multiple selections ▾

## River Wharfe

● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026



# Water Situation Report

Page 3 - Rainfall (NRFA)

29 June 2026



Year	Month	Yorkshire Region mm	Yorkshire Region LTA mm	Yorkshire Region LTA (%)	England/Wales mm	England/Wales LTA (%)
2026	01	98	79	124	131	141
2026	02	99	69	143	119	162
2026	03	57	60	95	55	85
2026	04	25	58	43	26	43
2026	05	63	55	114	46	75

Year Selection  
Most Recent Year

SOURCE OF DATA: Hydrological summary of Gt. Britain, Institute of Hydrology



### Yorkshire Region

Average mm	LTA mm	LTA %
<b>62.4</b>	<b>72.0</b>	<b>86.7%</b>

Month Selection

Year Selection

West Average mm	West LTA mm	West LTA %
<b>71.5</b>	<b>79.3</b>	<b>90.2%</b>

East Average mm	East LTA mm	East LTA %
<b>39.8</b>	<b>53.8</b>	<b>74.0%</b>

Rainfall Station	Total mm	LTA mm	LTA %
Blackmoorfoot	61.8	75	82%
Fewston	54.6	62	88%
Gt Walden Edge	83.3	91	92%
Langsett	42.2	68	62%
Ramsden	86.9	92	94%
Redmires	30.0	78	38%
Roundhill	74.4	67	111%
Scar House	109.9	80	137%
Walshaw Dean	82.2	90	91%
Watersheddles	89.6	90	100%

Rainfall Station	Total mm	LTA mm	LTA %
Bridlington	26.1	50	52%
Cottingham	29.5	52	57%
Osmotherley	53.8	63	85%
Tophill	49.6	50	99%

SOURCE OF DATA : YWS RAIN GAUGES- weekly, so monthly data may include previous month or miss start of month

		Thursday, June 25, 2026		Thursday, June 18, 2026				Thursday, June 25, 2026		Thursday, June 18, 2026	
		Previous Week		Two Weeks Prior				Previous Week		Two Weeks Prior	
Water Treatment Works	Operational Maxima & Design Yields (MI/d)	WRAP Targets Week Beginning - Previous Week	Daily Average Previous 5 Days Starting - Previous Week	WRAP Targets Week Starting - Two Weeks Prior	Daily Average Week Starting - Two Weeks Prior	Water Treatment Works	Operational Maxima & Design Yields (MI/d)	WRAP Targets Week Beginning - Previous Week	Daily Average Previous 5 Days Starting - Previous Week	WRAP Targets Week Starting - Two Weeks Prior	Daily Average Week Starting - Two Weeks Prior
<input type="checkbox"/> <b>Central</b>						<input type="checkbox"/> <b>Grid</b>					
ECCUP NO 1 WTW	100	53	50	51	50	ELVINGTON	260	159	197	198	175
HEADINGLEY	95	63	87	88	70	LOFTSOME BRIDGE	110	75	81	81	28
ECCUP NO 2 WTW	60	44	14	34	37	<input type="checkbox"/> <b>South</b>					
HARLOW HILL	42	27	32	33	28	RIVELIN	68	64	69	75	57
THORNTON STEWARD	23	20	25	26	22	LANGSETT	56	36	51	43	47
<input type="checkbox"/> <b>North West</b>						EWDEN	40	35	33	35	25
CHELLOW	175	148	166	171	157	LOXLEY	40	26	34	35	27
GRAINCLIFFE	60	38	43	40	38	INGBIRCHWORTH	20	20	20	20	12
EMBSAY	25	17	21	21	20	<input type="checkbox"/> <b>South West</b>					
SLADEN VALLEY	12	8	10	11	9	ALBERT	55	51	48	49	43
OLDFIELD	10	6	6	6	6	LONGWOOD	32	27	23	24	22
<input type="checkbox"/> <b>East</b>						FIXBY	30	21	17	19	15
KELDGATE	90	60	85	86	68	KIRKHAMGATE	30	17	16	18	14
TOPHILL LOW	68	40	46	46	40	HOLMBRIDGE	29	19	23	25	19
IRTON	24	13	15	16	15	BLACKMOORFOOT	23	20	21	21	18
EAST NESS	17	8	10	12	9						
RUSWARP	12	7	9	9	7						

## Daily Average Demand MI/d

Week Ending Wednesday	Leeds	Wakefield And Morley	Selby	Harrogate	Hull	Malton	Sheffield And Barnsley	Doncaster	Bradford	Calder	Skipton	York Area	Region
29 June 2026	175	76	50	83	186	64	309	101	160	159	39	47	1447
22 June 2026	169	73	45	79	173	58	286	91	154	150	38	49	1365
15 June 2026	164	68	42	75	161	56	273	83	147	145	37	48	1297
08 June 2026	164	69	42	74	157	56	273	84	144	145	35	46	1289
01 June 2026	170	71	46	78	168	60	285	91	149	147	38	45	1350

## Monthly Demands from WIS Report (MI/d)

Month And Year	Leeds	Wakefield And Morley	Selby	Harrogate	Hull	Malton	Sheffield And Barnsley	Doncaster	Bradford	Calder	Skipton	York Area	Region
May 2026	168	71	44	75	174	49	277	86	145	147	38	48	1323
April 2026	166	75	42	75	173	49	273	84	144	148	38	47	1308




Current Demand (Ml/d)  
**1448**

Year Selection  
Multiple selections ▾

## Regional Demand

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● 75 percentile demand




Current Demand (Ml/d)  
**893**

Year Selection  
Multiple selections ▾

## West Area Demand

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026






Current Stock  
**50.9%**

Year Selection  
Multiple selections ▾

## Hull Aquifer

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line






Current Level (mAOD)  
**19.9**

Year Selection  
Multiple selections ▾

## Chalk (Wolds Aquifer)

Wetwang Observation Borehole - SE 958 594

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026






Current Level (mAOD)  
**7.2**

Year Selection  
Multiple selections ▾

## Chalk (Hull Aquifer)

Westwood Observation Borehole - TA 020 399

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026



# Water Situation Report

29 June 2026



Reservoir Groups	% Stocks	% Change	Previous % Change
<input type="checkbox"/> Calder	79.5%	-3.4%	-2.4%
<input type="checkbox"/> Boothwood/Ryburn (inc Withens Clough)	79.4%	-2.7%	-3.1%
<input type="checkbox"/> Brownhill/Digley	80.7%	-4.3%	-2.8%
<input type="checkbox"/> Calderdale (excl Withens Clough)	76.7%	-3.8%	-2.4%
<input type="checkbox"/> Huddersfield	81.3%	-3.3%	-1.7%
<input type="checkbox"/> East	53.6%	0.4%	0.5%
<input type="checkbox"/> Hull Aquifer	50.9%	-0.2%	0.7%
<input type="checkbox"/> Tophill Low	84.1%	7.2%	-0.9%
TOPHILL LOW NO 1 ESR	84.3%	13.3%	-1.3%
TOPHILL LOW NO 2 ESR	83.9%	0.0%	-0.5%
<input type="checkbox"/> North	77.5%	-6.6%	-2.4%
<input type="checkbox"/> Haverah Park	71%	-6.0%	-3.5%
<input type="checkbox"/> Leighton & Roundhill	83.6%	-2.9%	-2.1%
<input type="checkbox"/> Lumley Moor	61.4%	-1.6%	-1.2%
<input type="checkbox"/> Thornton Steward	89.7%	-6.7%	-1.4%
<input type="checkbox"/> Washburn & Eccup Resvrs	75.6%	-7.9%	-2.5%
ECCUP ESR	81.7%	-6.2%	-2.3%
FEWSTON IRE	49.6%	-33.7%	-11.2%
SWINSTY IRE	46.1%	-2.6%	0.0%
THRUSCROSS IRE	100%	0.0%	0.0%
<input type="checkbox"/> North West	81.8%	-2.6%	-2.6%
<input type="checkbox"/> South	72.8%	-3.3%	-2.3%



Report Date  
**29 June 2026**

Report Date  
Most Recent Report Date

**75.5%**  
% Stocks

**Regional Total (DCP) inc East Area**

**-3.3%**  
% Change

**-2.1%**  
Previous % Change

**78.3%**  
% Stocks

**Yorkshire Total (Supply) not inc East Area**

**-3.8%**  
% Change

**-2.4%**  
Previous % Change

**View Sites Using  
Fallback Data**

Report Date  
**29 June 2026**

Report Date  
Most Recent Report Date


Reservoir Group	Reservoir	Reason For Drawdown	Required Drawdown & Duration	% Drawdown	% Stock	% Change	Previous % Change
North West	Barden Upper IRE		Mar 26 - Jun 26	30.0%	27.2%	-1.2%	-2.2%
Calder	Brownhill IRE	Leakage Investigation	Mar 26 -Aug 26	51.0%	56.1%	-6.5%	-6.1%
North West	Chelker IRE	Pointing	Nov 24 - Dec 25	89.0%	94.5%	0.1%	-1.7%
North	Cod Beck IRE	Inspection of Overflow and Upstream Face	Aug 24 - Dec 25	83.0%			
North West	March Ghyll IRE	Embankment Stability Works	Jan 23 - Dec 25	86.0%			
Calder	Ramsden IRE	Emergency grouting	Mar 26 -Aug 26	96.0%	88.5%	-2.1%	-4.5%
South	Redmires Middle IRE	Damage to Overflow Channel	Nov 23 - Dec 25	89.0%	40.4%	-0.3%	-4.3%
South	Redmires Upper IRE	Damage to Overflow Channel	Nov 23 - Dec25	54.0%	53.8%	-3.4%	0.6%
Calder	Walshaw Dean Lower IRE	OSA Repairs	Apr 25 - Dec 25	60.0%	47.2%	-13.2%	-15.1%
Calder	Walshaw Dean Middle IRE	TBC	Oct 25	91.0%	93.8%	-6.2%	0.0%
Calder	Widdop IRE	Increase Drawdown Capacity	June 25 - Dec 25	10.0%	58.7%	-3.5%	-4.8%



Current Stock  
**78.0%**

Year Selection  
Multiple selections ▾


### Nidd/Barden Reservoir Group



Current Stock  
**79.6%**

Year Selection  
Multiple selections ▾


### Calder Reservoirs



Current Stock  
**75.6%**

Year Selection  
Multiple selections ▾

## Washburn Reservoir Group inc Eccup




Current Stock  
**70.1%**

Year Selection  
Multiple selections ▾

## Sheffield & Barnsley Reservoirs

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line



## Regional Reservoir Group

(sum of South West, North West, East, South, North & Winscar Reservoirs)

**135321**  
MI

**75.5%**  
% Stocks

**-3.3%**  
% Change

Report Date  
**29 June 2026**

Report Date  
Most Recent Report Date

EA Groups	MI	% Stocks	% Change
<input checked="" type="checkbox"/> South West	<b>35006</b>	<b>79.5%</b>	<b>-3.4%</b>
<input checked="" type="checkbox"/> North West	<b>38634</b>	<b>81.8%</b>	<b>-2.6%</b>
<input checked="" type="checkbox"/> Skipton Area Supply Reservoirs	<b>3485</b>	<b>86.4%</b>	<b>-2.6%</b>
<input checked="" type="checkbox"/> Worth Valley Group	2784	84.1%	-3.4%
<input checked="" type="checkbox"/> Embsay	701	97%	1.2%
<input checked="" type="checkbox"/> Bradford Area Supply Reservoirs	<b>35149</b>	<b>81.4%</b>	<b>-2.6%</b>
<input checked="" type="checkbox"/> Rombalds/Thornton Group	1738	77.9%	-3.0%
<input checked="" type="checkbox"/> Nidd/Barden/Chelker	14952	78%	-1.4%
<input checked="" type="checkbox"/> Grimwith	18459	84.8%	-3.6%

EA Groups	MI	% Stocks	% Change
<input checked="" type="checkbox"/> South	<b>17445</b>	<b>70.2%</b>	<b>-3.5%</b>
<input checked="" type="checkbox"/> North	<b>25641</b>	<b>77.5%</b>	<b>-6.6%</b>
<input checked="" type="checkbox"/> East	<b>11093</b>	<b>53.6%</b>	<b>0.4%</b>

EA Groups	MI	% Stocks	% Change
<input checked="" type="checkbox"/> South	<b>15081</b>	<b>74.5%</b>	<b>-2.5%</b>
<input checked="" type="checkbox"/> Other (Excluded from Area Total)	<b>15081</b>	<b>74.5%</b>	<b>-2.5%</b>
<input checked="" type="checkbox"/> Winscar Group	7501	79.8%	-2.7%
<input checked="" type="checkbox"/> Underbank	2174	75.8%	-2.5%
<input checked="" type="checkbox"/> Scout Dike	394	56.8%	-3.8%
<input checked="" type="checkbox"/> Morehall	1355	62.3%	-3.4%
<input checked="" type="checkbox"/> Damflask	3658	71.6%	-1.6%
<input checked="" type="checkbox"/> North West	<b>6094</b>	<b>73.1%</b>	<b>-4.3%</b>
<input checked="" type="checkbox"/> Other (Excluded from Area Total)	<b>6094</b>	<b>73.1%</b>	<b>-4.3%</b>
<input checked="" type="checkbox"/> Gouthwaite	4179	71.9%	-4.7%
<input checked="" type="checkbox"/> Compensation inc Silsden	1915	76%	-3.4%
<input checked="" type="checkbox"/> North	<b>2204</b>	<b>75.5%</b>	<b>19.1%</b>
<input checked="" type="checkbox"/> Other (Excluded from Area Total)	<b>2204</b>	<b>75.5%</b>	<b>19.1%</b>
<input checked="" type="checkbox"/> Lindley Wood Compensation	2204	75.5%	19.1%




Current Stock  
**75.5%**

Year Selection  
Multiple selections ▾

### Regional Reservoir Group (including Hull)

● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Drought Control Line ● Emergency Storage ● Normal Control Line






Current Stock  
**75.5%**

Year Selection  
Multiple selections ▾

### Regional Reservoir Group (including Hull)

- 1995
- 1996
- 2006
- 2021
- 2022
- 2023
- 2024
- 2025
- 2026
- Control Line 1
- Control Line 2
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Drought C...
- Emergenc...
- Normal ...






Current Stock  
**81.8%**

Year Selection  
Multiple selections ▾

## North West Reservoir Group (Bradford, Keighley, Skipton)

- 1995
- 1996
- 2006
- 2021
- 2022
- 2023
- 2024
- 2025
- 2026
- Control Line 1
- Control Line 2
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Drought C...
- Emergenc...
- Normal ...






Current Stock  
**79.5%**

Year Selection  
Multiple selections ▾

## South West Reservoir Group

(Calderdale, Kirklees)


● 1995 ● 1996 ● 2006 ● 2021 ● 2022 ● 2023 ● 2024 ● 2025 ● 2026 ● Control Line 1 ● Control Line 2 ● Control Li... ● Control Li... ● Control Li... ● Control Li... ● Control Li... ● Drought C... ● Emergenc... ● Normal ...



Current Stock  
**77.5%**

Year Selection  
Multiple selections ▾

## North Reservoir Group (Leeds, Harrogate)






Current Stock  
**72.8%**

Year Selection  
Multiple selections ▾

## South Reservoir Group (Sheffield, Barnsley)

- 1995
- 1996
- 2006
- 2021
- 2022
- 2023
- 2024
- 2025
- 2026
- Control Line 1
- Control Line 2
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Drought C...
- Emergenc...
- Normal ...






Current Stock  
**53.6%**

Year Selection  
Multiple selections ▾


### East Reservoir Group (Hull Aquifer, Tophill Low)

- 1995
- 1996
- 2006
- 2021
- 2022
- 2023
- 2024
- 2025
- 2026
- Control Line 1
- Control Line 2
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Control Li...
- Drought C...
- Emergenc...
- Normal ...







### Average Sunshine



### Average Rainfall



### Soil Moisture Deficit





Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/023/332	Ainderby Steeple Boreholes	C	139.0	666	1760	37.9%
03/28/083/010	Armthorpe Boreholes	C	228.0	1088	3319	32.8%
03/28/083/012	Austerfield Boreholes	C	187.3	1029	11615	8.9%
02/27/022/020	Aysgarth & Newbiggin Springs	C	15.5	78	341	23.1%
02/27/012/035	Baitings, Ryburn & Blackhouse reservoirs	C	207.5	1352	20457	6.6%
02/27/023/032	Bellerby Borehole and springs near Bellerby	F	73.9	142	1250	11.4%
02/27/022/209	Birk Gill & River Burn	C	264.9	1824	6400	28.5%
02/27/012/254	Boothwood Reservoir & associated catchwaters	C	360.0	551	20457	2.7%
02/27/10/112	Boshaw Whams Reservoir	C	0.0	0	55	0.0%
03/28/083/105	Boston Park Boreholes	C	183.4	905	3318	27.3%
02/27/024/305	Brayton Barff Boreholes	C	0.0	0	2250	0.0%
02/26/030/002	Bridlington	C	164.8	777	2500	31.1%
02/27/005/031	Broomhead Reservoir	F	847.2	1853	12410	14.9%
02/26/030/004	Burton Agnes	C	77.2	382	1000	38.3%

Data Up To  
**31 May 2026**

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/018/080	Carlton Hanger Lane Boreholes	C	197.0	957	3500	27.4%
02/27/018/079	Carlton Mill Lane Boreholes	C	161.3	771	3800	20.3%
02/27/019/009	Carr Bottom Reservoir, Burley Woodhead	C	0.0	0	409	0.0%
02/27/023/340	Catterick Boreholes	F	185.6	371	3650	10.2%
02/27/027/136	Cayton Carr Lane Boreholes	C	168.1	827	3928	21.1%
02/27/027/163	Cayton Station Road Borehole	C	57.8	217	2646	8.2%
02/27/019/137	Chelker Reservoir	C	-2229.4	-4663	5000	-93.3%
02/27/023/031	Coalsgarth Springs	C	13.3	55	750	7.4%
02/27/011/064	Colne Valley Catchwaters	F	537.4	736	5840	12.6%
02/26/032/126	Cottingham Well	C	0.0	3170	18184	17.4%
02/27/018/081	Cowick Boreholes	C	365.0	1799	5250	34.3%
02/27/023/046	Cranehow & Downholme Springs	C	0.0	13	318	4.2%
02/27/023/030	Crumma, Newsham & Gandale Springs	C	55.2	289	1364	21.2%
02/27/005/030	Dale Dyke & Agden Reservoirs	F	869.1	1804	21412	8.4%
02/27/012/261	Dean Head & Scammonden	F	264.7	362	3650	9.9%
02/27/19/121	Dib Spring, Hawkswick	C	0.0	0	27	0.0%
02/26/032/126	Dunswell Well	C	204.0	1376	16593	8.3%
NE/27/025/021	East Ness Boreholes	F	267.6	544	5680	9.6%
02/26/031/087	Elmswell Wold Borehole	C	4.9	41	1273	3.3%
02/27/015/045	Embsay Reservoir	C	33.3	829	1846	45.0%
02/27/016/196	Esholt Sewage Treatment Works	C	0.0	0	88	0.0%
02/26/032/124	Etton Boreholes	C	127.7	550	5100	10.8%
03/28/083/012	Finningley Boreholes	C	303.1	1481	6780	21.9%
02/27/022/328	Fossdale (High Shaw) Springs	C	15.0	66	227	29.1%

Data Up To  
**31 May 2026**

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/018/120	Goosehouse Boreholes	C	259.8	1294	3500	37.0%
02/27/012/043	Gorpley Reservoir	C	0.0	0	1823	0.0%
02/27/016/022	Graincliffe Reservoir	F	36.2	76	2728	2.8%
02/27/012/037	Green Withens Ringstone Res & catchwater	C	364.6	2311	20457	11.3%
02/27/019/051	Greenhow Tunnel (Nidd Aqueduct) Dale Head Intake	C	0.0	0	214	0.0%
02/27/019/052	Greenhow Tunnel (Nidd Aqueduct) No.2 Access Shaft	C	0.0	0	6819	0.0%
NE/27/019/005	Grimwith Reservoir to Nidd Aqueduct	F	58.0	84	3650	2.3%
02/26/030/003	Haisthorpe Boreholes	C	413.4	1984	5000	39.7%
03/28/083/012	Hatfield Boreholes	C	201.9	926	3319	27.9%
03/28/083/100	Hatfield Woodhouse Boreholes	C	0.0	0	3320	0.0%
02/27/029/010	Hazel Head Springs	C	12.2	166	1162	14.4%
02/27/012/041	Hebden, Luddenden & Hebble Valley Resrs	F	1128.3	2209	15695	14.1%
02/27/018/077	Heck Boreholes	C	82.8	320	2489	12.9%
03/28/083/012	Highfield Lane Boreholes	C	445.2	2063	11615	17.8%
02/27/023/685	Hollin Hill Borehole	F	0.0	0	45	0.0%
02/27/010/063	Holmestyes & Digley Reservoirs	F	204.7	436	5840	7.5%
02/27/22/024	Horsehouse Spring, leyburn	C	0.0	0	33	0.0%
02/27/027/002	Howe Hill Well	F	85.4	167	1014	16.6%
02/26/031/006	Hutton Cranswick	C	50.1	222	796	28.0%
02/27/005/012	Ingbirchworth Reservoir & Annat Royd Intake	C	97.4	879	3637	24.2%
02/27/005/202	Ingbirchworth South Borehole	F	4.1	8	132	6.1%
02/27/027/058	Irton	C	488.5	2287	8215	27.9%
02/27/21/015	John O'Gaunts and Beaverdyke Reservoirs	C	0.0	0	1909	0.0%
02/27/014/010	Keighley Moor Reservoir	F	38.1	73	6951	1.1%
02/27/025/128	Keld Head Boreholes	C	169.2	822	3319	24.8%
02/26/032/126	Keldgate Boreholes	C	91.5	542	5819	9.3%
02/26/031/002	Kilham	C	3.4	6	1818	0.4%

Data Up To  
**31 May 2026**

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/005/032	Langsett Reservoir	C	1222.8	6246	17155	36.4%
02/27/022/210	Leighton Reservoir & Spruce Gill stream intake	C	585.2	2991	13184	22.7%
03/28/083/107	Littleworth Borehole	C	1.0	0	1659	0.1%
02/27/028/270	Loftsome Bridge ASR Borehole No.1	C	0.0	0	150000	0.0%
02/27/014/009	Lower Laithe Reservoir	F	207.1	415	6951	6.0%
02/27/005/011	Midhope Reservoir & Knoll Brook Intake	F	251.5	398	17155	2.3%
02/26/034/006	North Newbald	C	0.0	0	548	0.0%
03/28/083/012	Nutwell Boreholes	C	242.2	1175	4983	23.6%
02/27/019/006	Panorama, Hilltop & Old Reservoirs & Springs	C	18.7	18	1000	1.9%
02/27/018/078	Pollington Boreholes	C	242.1	942	5000	18.8%
02/27/014/058	Ponden Reservoir	F	0.0	64	6951	0.9%
02/27/016/023	Reva Reservoir, Hawkesworth	C	160.7	338	1364	24.8%
02/27/005/029	Rivelin and Redmires Reservoirs	F	562.5	1098	8030	13.7%
02/27/028/017	River Derwent at Elvington	F	4845.1	9235	75000	12.3%
02/27/028/083	River Derwent at Loftsome Bridge	F	2300.0	4041	30400	13.3%
02/27/029/012	River Esk	C	248.8	1328	7823	17.0%
02/26/031/047	River Hull & West Beck	C	1319.7	6629	25000	26.5%
02/26/032/194	River Hull for Sewer Cleaning	C	0.0	0	91	0.0%
02/27/024/078	River Ouse at Acomb	F	957.5	1906	35000	5.5%
02/27/024/158	River Ouse at Moor Monkton	F	3940.4	6462	73000	8.9%
02/27/022/214	River Ure at Kilgram Bridge	F	313.0	714	15000	4.8%
02/27/020/196	River Wharfe at Arthington	F	15.5	27	19009	0.1%
02/27/019/129	River Wharfe at Lobwood	F	2224.8	3890	27392	14.2%
03/28/083/012	Rossington Bridge Boreholes	C	0.0	0	5172	0.0%
02/27/022/027	Roundhill and Lumley Moor Reservoirs	C	45.2	247	3500	7.1%
02/27/005/013	Royd Moor Reservoir & Intakes	C	33.1	784	2955	26.6%

Data Up To  
**31 May 2026**

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

Serial No	Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
02/27/021/016	Scargill Reservoir	C	78.7	389	1932	20.2%
02/27/021/092	Scarhouse & Angram Resvrs with tunnel & catchwater	C	2879.2	15310	38164	40.1%
02/27/15/149	Silsden Beck, Stilling-Basin at foot of Silsden Reservoir Embankment	C	0.0	0	10	0.0%
02/26/032/126	Springhead Well	C	679.3	3311	13638	24.3%
02/27/022/021	Stalling Busk & Marsett Springs	C	0.0	0	33	0.0%
02/27/022/208	Stock Beck, Carlesmoor Beck & River Laver	C	181.5	1190	3500	34.0%
02/27/023/684	Stubbing Nook Borehole	F	2.9	2	135	2.2%
03/28/083/012	Thornham Boreholes	C	297.9	1452	6213	23.4%
02/27/016/160	Thornton Moor & Stubden Reservoirs	C	197.1	1186	6214	19.1%
02/27/012/038	Turvin Clough	C	0.7	0	4014	0.0%
02/27/019/054	Upper & Lower Barden Reservoirs	C	978.0	4510	14223	31.7%
02/27/020/088	Washburn Valley Reservoirs	C	1512.1	13776	43800	31.5%
02/27/015/041	Watersheddles Reservoir	F	156.3	299	6951	4.3%
02/27/016/021	Weecher Reservoir	C	9.9	10	909	1.1%
02/27/011/065	Wessenden Valley, Blackmoorfoot & Deerhill	F	606.6	1709	12410	13.8%
02/27/023/034	West Stonesdale (Garland Hill) Springs	C	0.0	0	282	0.0%
02/27/015/042	Whinney Gill & Jenny Gill Reservoirs	C	0.0	0	377	0.0%
02/27/005/026	Winscar, U & L Windleden, Harden & Snailsden	F	659.4	1137	10140	11.2%
02/27/012/036	Withens Clough Resr & Catchwater	C	213.4	1088	3319	32.8%
02/27/010/011	Yateholme, Riding Wood, Ramsden & Brownhill	F	325.7	586	6820	8.6%

Data Up To  
**31 May 2026**

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

#### Licences with Aggregated Annual Quantities

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
Austerfield & Highfield Lane	C	632.0	3093	9956	31.1%
Baitings, Ryburn, Boothwood, Green Withens	C	932.0	4216	20457	20.6%
Cayton, Irton	C	714.0	3333	10700	31.2%
Doncaster Sub Group	C	1678.0	8128	26049	31.2%
Doncaster Wellfield	C	2090.0	10123	30295	33.4%
Hull Groundwater Sources	C	975.0	8401	32850	25.6%
Langsett, Midhope	C/F	1474.0	6645	17155	38.7%
River Derwent (Elvington, Loftsome)	F	7145.0	13277	94841	14.0%
Selby Boreholes	C	1308.0	6085	25283	24.1%
Worth Valley	F	401.0	854	6951	12.3%

Aggregated Data Up To

**31 May 2026**

This page will normally be updated monthly (approx mid month).

This data may be subject to change following routine validation checks.

Where showing a negative value, this is normal at certain sources, due to the imports of water into that source being greater than the volumes abstracted.

#### Third Party Agreements (Calendar Year)

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
CRT, Hudds Narrow Canal	C	105.5	283	1272	22.2%
Severn Trent Ladybower Reservoir	C	1239.5	7174	21550	33.3%

Third Party Data Up To

**31 May 2026**

#### Transfer

Source	Reporting Year	Month MI	Year to date MI	Annual Limit MI	% of Annual Limit
Winscar To Langsett Transfer Usage	F	0.0	0	2482	0.0%

Transfer Data Up To

**31 May 2026**